Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Hearing Research 195 (2004) 131
HEARING RESEARCH
www.elsevier.com/locate/heares

Author Index Volume 195

Bodmer, D., see Nagy, I. (195) 1
Bodmer, M., see Nagy, I. (195) 1
Brors, D., see Nagy, I. (195) 1

Durham, D., see Smittkamp, S.E. (195) 79

Farinelli, F., see Martini, M. (195) 67
Fesce, R., see Martini, M. (195) 67
Funahashi, H., see Yoshino, T. (195) 9

Hamada, T., Iwaki, S. and Kawano, T.
Speech offsets activate the right parietal cortex (195) 75
Hayashi, H., Sone, M., Ito, S., Wakamatsu, K., Kato, M., Nakashima, I. and Nakashima, T.
A novel *RFP-RET* transgenic mouse model with abundant eumelanin in the cochlea (195) 35

Imai, T., see Yoshino, T. (195) 9
Irons-Brown, S.R. and Jones, T.A.
Effects of selected pharmacological agents on avian auditory and vestibular compound action potentials (195) 54
Ito, S., see Hayashi, H. (195) 35
Iwaki, S., see Hamada, T. (195) 75

Jones, T.A., see Irons-Brown, S.R. (195) 54

Kato, M., see Hayashi, H. (195) 35
Kawano, T., see Hamada, T. (195) 75

Mahlke, C. and Wallhäusser-Franke, E.
Evidence for tinnitus-related plasticity in the auditory and limbic system, demonstrated by arg3.1 and c-fos immunocytochemistry (195) 17
Martini, M., Rispoli, G., Farinelli, F., Fesce, R. and Rossi, M.L.
Intracellular Ca^{2+} buffers can dramatically affect Ca^{2+} conductances in hair cells (195) 67
McCullough, B.J. and Tempel, B.L
Haplo-insufficiency revealed in deafwaddler mice when tested for hearing loss and ataxia (195) 90
Merchant, S.N., see Ravicz, M.E. (195) 103
Mori, N., see Yoshino, T. (195) 9
Murakami, H., see Yoshino, T. (195) 9

Nagashima, W., see Yoshino, T. (195) 9
Nagy, I., Bodmer, M., Brors, D. and Bodmer, D.
Early gene expression in the organ of Corti exposed to gentamicin (195) 1
Nakashima, I., see Hayashi, H. (195) 35
Nakashima, T., see Yoshino, T. (195) 9
Nakashima, T., see Hayashi, H. (195) 35
Nakayama, A., see Yoshino, T. (195) 9

Ravicz, M.E., Rosowski, J.J. and Merchant, S.N.
Mechanisms of hearing loss resulting from middle-ear fluid (195) 103
Rispoli, G., see Martini, M. (195) 67
Rosowski, J.J., see Ravicz, M.E. (195) 103
Rossi, M.L., see Martini, M. (195) 67

Sato, E., see Yoshino, T. (195) 9
Shatz, L.F.
The effect of hair bundle shape on hair bundle hydrodynamics of non-mammalian inner ear hair cells for the full frequency range (195) 41
Smittkamp, S.E. and Durham, D.
Contributions of age, cochlear integrity, and auditory environment to avian cochlear nucleus metabolism (195) 79
Sone, M., see Hayashi, H. (195) 35

Tempel, B.L, see McCullough, B.J. (195) 90
Teranishi, M.-a., see Yoshino, T. (195) 9

Wakamatsu, K., see Hayashi, H. (195) 35
Wallhäusser-Franke, E., see Mahlke, C. (195) 17

Yoshino, T., Sato, E., Nakashima, T., Nagashima, W., Teranishi, M.-a., Nakayama, A., Mori, N., Murakami, H., Funahashi, H. and Imai, T.
The immunohistochemical analysis of pendrin in the mouse inner ear (195) 9

doi:10.1016/S0378-5955(04)00262-X

Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Hearing Research 195 (2004) 133–135
HEARING RESEARCH
www.elsevier.com/locate/heares

Subject Index Volume 195

Atp2b2
Deafwaddler, PMCA2, Hearing loss, Deafness, Mouse (McCullough, B.J. (195) 90)

Aging
Auditory, Chicken, Cytochrome oxidase, Metabolism, Nucleus magnocellularis (Smittkamp, S.E. (195) 79)

AMPA
Hearing, Balance, Cochlea, Maculae, Gravity receptors, Vestibular, Post-synaptic receptors, Chicken, Glutamate, Kynurenate, Kainate, L-NAME, CNQX, NBQX, DAA, MK-801, GABA (Irons-Brown, S.R. (195) 54)

Amygdala
Tinnitus, Salicylate, Auditory cortex, arg3.1/arc, Neuronal plasticity (Mahlke, C. (195) 17)

arg3.1/arc
Tinnitus, Salicylate, Auditory cortex, Amygdala, Neuronal plasticity (Mahlke, C. (195) 17)

Auditory
Aging, Chicken, Cytochrome oxidase, Metabolism, Nucleus magnocellularis (Smittkamp, S.E. (195) 79)

Auditory cortex
Tinnitus, Salicylate, Amygdala, arg3.1/arc, Neuronal plasticity (Mahlke, C. (195) 17)

Balance
Hearing, Cochlea, Maculae, Gravity receptors, Vestibular, Post-synaptic receptors, Chicken, Glutamate, Kynurenate, Kainate, L-NAME, CNQX, NBQX, DAA, MK-801, GABA, AMPA (Irons-Brown, S.R. (195) 54)

Ca^{2+} current kinetics
Semicircular canals, Hair cells, Frog, Intracellular buffers (Martini, M. (195) 67)

Chicken
Hearing, Balance, Cochlea, Maculae, Gravity receptors, Vestibular, Post-synaptic receptors, Glutamate, Kynurenate, Kainate, L-NAME, CNQX, NBQX, DAA, MK-801, GABA, AMPA (Irons-Brown, S.R. (195) 54)

Aging, Auditory, Cytochrome oxidase, Metabolism, Nucleus magnocellularis (Smittkamp, S.E. (195) 79)

CNQX
Hearing, Balance, Cochlea, Maculae, Gravity receptors, Vestibular, Post-synaptic receptors, Chicken, Glutamate, Kynurenate, Kainate, L-NAME, NBQX, DAA, MK-801, GABA, AMPA (Irons-Brown, S.R. (195) 54)

Cochlea
Eumelanin, MT/*RFP-RET* transgenic mouse (Hayashi, H. (195) 35)

Hair bundle, Hydrodynamics, Spheroid, Hair cell, Tectorial membrane (Shatz, L.F. (195) 43)

Hearing, Balance, Maculae, Gravity receptors, Vestibular, Post-synaptic receptors, Chicken, Glutamate, Kynurenate, Kainate, L-NAME, CNQX, NBQX, DAA, MK-801, GABA, AMPA (Irons-Brown, S.R. (195) 54)

Conductive hearing loss
Middle ear, Umbo velocity, Otitis media, Effusion, Viscosity (Ravicz, M.E. (195) 103)

Cytochrome oxidase
Aging, Auditory, Chicken, Metabolism, Nucleus magnocellularis (Smittkamp, S.E. (195) 79)

DAA
Hearing, Balance, Cochlea, Maculae, Gravity receptors, Vestibular, Post-synaptic receptors, Chicken, Glutamate, Kynurenate, Kainate, L-NAME, CNQX, NBQX, MK-801, GABA, AMPA (Irons-Brown, S.R. (195) 54)

Deafness
Deafwaddler, *Atp2b2*, PMCA2, Hearing loss, Mouse (McCullough, B.J. (195) 90)

Deafwaddler
Atp2b2, PMCA2, Hearing loss, Deafness, Mouse (McCullough, B.J. (195) 90)

Dipole
Speech offsets, Human, Parietal cortex, Magnetoencephalography (Hamada, T. (195) 75)

DNA microarray
Gentamicin, Hair cells, Organ of Corti (Nagy, I. (195) 1)

Effusion
Middle ear, Umbo velocity, Otitis media, Viscosity, Conductive hearing loss (Ravicz, M.E. (195) 103)

doi:10.1016/S0378-5955(04)00263-1

Eumelanin
Cochlea, MT/*RFP-RET* transgenic mouse (Hayashi, H. (195) 35)

Frog
Semicircular canals, Hair cells, Ca^{2+} current kinetics, Intracellular buffers (Martini, M. (195) 67)

GABA
Hearing, Balance, Cochlea, Maculae, Gravity receptors, Vestibular, Post-synaptic receptors, Chicken, Glutamate, Kynurenate, Kainate, L-NAME, CNQX, NBQX, DAA, MK-801, AMPA (Irons-Brown, S.R. (195) 54)

Gentamicin
DNA microarray, Hair cells, Organ of Corti (Nagy, I. (195) 1)

Glutamate
Hearing, Balance, Cochlea, Maculae, Gravity receptors, Vestibular, Post-synaptic receptors, Chicken, Kynurenate, Kainate, L-NAME, CNQX, NBQX, DAA, MK-801, GABA, AMPA (Irons-Brown, S.R. (195) 54)

Gravity receptors
Hearing, Balance, Cochlea, Maculae, Vestibular, Post-synaptic receptors, Chicken, Glutamate, Kynurenate, Kainate, L-NAME, CNQX, NBQX, DAA, MK-801, GABA, AMPA (Irons-Brown, S.R. (195) 54)

Hair bundle
Cochlea, Hydrodynamics, Spheroid, Hair cell, Tectorial membrane (Shatz, L.F. (195) 43)

Hair cell
Cochlea, Hair bundle, Hydrodynamics, Spheroid, Tectorial membrane (Shatz, L.F. (195) 43)

Hair cells
DNA microarray, Gentamicin, Organ of Corti (Nagy, I. (195) 1)

Semicircular canals, Frog, Ca^{2+} current kinetics, Intracellular buffers (Martini, M. (195) 67)

Hearing
Balance, Cochlea, Maculae, Gravity receptors, Vestibular, Post-synaptic receptors, Chicken, Glutamate, Kynurenate, Kainate, L-NAME, CNQX, NBQX, DAA, MK-801, GABA, AMPA (Irons-Brown, S.R. (195) 54)

Hearing loss
Deafwaddler, *Atp2b2*, PMCA2, Deafness, Mouse (McCullough, B.J. (195) 90)

Human
Speech offsets, Parietal cortex, Dipole, Magnetoencephalography (Hamada, T. (195) 75)

Hydrodynamics
Cochlea, Hair bundle, Spheroid, Hair cell, Tectorial membrane (Shatz, L.F. (195) 43)

Immunohistochemical analysis
Pendred's syndrome, Pendrin, Inner ear, Mouse (Yoshino, T. (195) 9)

Inner ear
Pendred's syndrome, Pendrin, Immunohistochemical analysis, Mouse (Yoshino, T. (195) 9)

Intracellular buffers
Semicircular canals, Hair cells, Frog, Ca^{2+} current kinetics (Martini, M. (195) 67)

Kainate
Hearing, Balance, Cochlea, Maculae, Gravity receptors, Vestibular, Post-synaptic receptors, Chicken, Glutamate, Kynurenate, L-NAME, CNQX, NBQX, DAA, MK-801, GABA, AMPA (Irons-Brown, S.R. (195) 54)

Kynurenate
Hearing, Balance, Cochlea, Maculae, Gravity receptors, Vestibular, Post-synaptic receptors, Chicken, Glutamate, Kainate, L-NAME, CNQX, NBQX, DAA, MK-801, GABA, AMPA (Irons-Brown, S.R. (195) 54)

L-NAME
Hearing, Balance, Cochlea, Maculae, Gravity receptors, Vestibular, Post-synaptic receptors, Chicken, Glutamate, Kynurenate, Kainate, CNQX, NBQX, DAA, MK-801, GABA, AMPA (Irons-Brown, S.R. (195) 54)

Maculae
Hearing, Balance, Cochlea, Gravity receptors, Vestibular, Post-synaptic receptors, Chicken, Glutamate, Kynurenate, Kainate, L-NAME, CNQX, NBQX, DAA, MK-801, GABA, AMPA (Irons-Brown, S.R. (195) 54)

Magnetoencephalography
Speech offsets, Human, Parietal cortex, Dipole (Hamada, T. (195) 75)

Metabolism
Aging, Auditory, Chicken, Cytochrome oxidase, Nucleus magnocellularis (Smittkamp, S.E. (195) 79)

Middle ear
Umbo velocity, Otitis media, Effusion, Viscosity, Conductive hearing loss (Ravicz, M.E. (195) 103)

MK-801
Hearing, Balance, Cochlea, Maculae, Gravity receptors, Vestibular, Post-synaptic receptors, Chicken, Glutamate, Kynurenate, Kainate, L-NAME, CNQX, NBQX, DAA, GABA, AMPA (Irons-Brown, S.R. (195) 54)

Mouse
Pendred's syndrome, Pendrin, Immunohistochemical analysis, Inner ear (Yoshino, T. (195) 9)

Deafwaddler, *Atp2b2*, PMCA2, Hearing loss, Deafness (McCullough, B.J. (195) 90)

MT/*RFP-RET* transgenic mouse
Cochlea, Eumelanin (Hayashi, H. (195) 35)

NBQX
Hearing, Balance, Cochlea, Maculae, Gravity receptors, Vestibular, Post-synaptic receptors, Chicken, Glutamate, Kynurenate, Kainate, L-NAME, CNQX, DAA, MK-801, GABA, AMPA (Irons-Brown, S.R. (195) 54)

Neuronal plasticity
Tinnitus, Salicylate, Auditory cortex, Amygdala, arg3.1/arc (Mahlke, C. (195) 17)

Nucleus magnocellularis
Aging, Auditory, Chicken, Cytochrome oxidase, Metabolism (Smittkamp, S.E. (195) 79)

Organ of Corti
DNA microarray, Gentamicin, Hair cells (Nagy, I. (195) 1)

Otitis media
Middle ear, Umbo velocity, Effusion, Viscosity, Conductive hearing loss (Ravicz, M.E. (195) 103)

Parietal cortex
Speech offsets, Human, Dipole, Magnetoencephalography (Hamada, T. (195) 75)

Pendred's syndrome
Pendrin, Immunohistochemical analysis, Inner ear, Mouse (Yoshino, T. (195) 9)

Pendrin
Pendred's syndrome, Immunohistochemical analysis, Inner ear, Mouse (Yoshino, T. (195) 9)

PMCA2
Deafwaddler, *Atp2b2*, Hearing loss, Deafness, Mouse (McCullough, B.J. (195) 90)

Post-synaptic receptors
Hearing, Balance, Cochlea, Maculae, Gravity receptors, Vestibular, Chicken, Glutamate, Kynurenate, Kainate, L-NAME, CNQX, NBQX, DAA, MK-801, GABA, AMPA (Irons-Brown, S.R. (195) 54)

Salicylate
Tinnitus, Auditory cortex, Amygdala, arg3.1/arc, Neuronal plasticity (Mahlke, C. (195) 17)

Semicircular canals
Hair cells, Frog, Ca^{2+} current kinetics, Intracellular buffers (Martini, M. (195) 67)

Spheroid
Cochlea, Hair bundle, Hydrodynamics, Hair cell, Tectorial membrane (Shatz, L.F. (195) 43)

Speech offsets
Human, Parietal cortex, Dipole, Magnetoencephalography (Hamada, T. (195) 75)

Tinnitus
Salicylate, Auditory cortex, Amygdala, arg3.1/arc, Neuronal plasticity (Mahlke, C. (195) 17)

Tectorial membrane
Cochlea, Hair bundle, Hydrodynamics, Spheroid, Hair cell, (Shatz, L.F. (195) 43)

Umbo velocity
Middle ear, Otitis media, Effusion, Viscosity, Conductive hearing loss (Ravicz, M.E. (195) 103)

Vestibular
Hearing, Balance, Cochlea, Maculae, Gravity receptors, Post-synaptic receptors, Chicken, Glutamate, Kynurenate, Kainate, L-NAME, CNQX, NBQX, DAA, MK-801, GABA, AMPA (Irons-Brown, S.R. (195) 54)

Viscosity
Middle ear, Umbo velocity, Otitis media, Effusion, Conductive hearing loss (Ravicz, M.E. (195) 103)